



UNITED STATES DEPARTMENT OF COMMERCE
Patent and Trademark Office

NOTICE OF ALLOWANCE AND ISSUE FEE DUE

| APPLICATION NO. | FILING DATE | TOTAL CLAIMS | EXAMINER AND GROUP ART UNIT | DATE MAILED |
|-----------------------|----------------------|--------------|-----------------------------|-------------|
| 01/14/81 | 01/14/81 | 1 | 3111-1000 | 01/14/81 |
| First Named Applicant | JAMES H. WILSON, JR. | | | |

TITLE OF INVENTION
METHOD FOR THE PRODUCTION OF POLYMER

| ATTY'S DOCKET NO. | CLASS-SUBCLASS | BATCH NO. | APPLN. TYPE | SMALL ENTITY | FEE DUE | DATE DUE |
|-------------------|----------------|-----------|-------------|--------------|----------|----------|
| 100-000000 | 01-01 | 000000000 | 1 | NO | \$100.00 | 04/14/81 |

THE APPLICATION IDENTIFIED ABOVE HAS BEEN EXAMINED AND IS ALLOWED FOR ISSUANCE AS A PATENT. PROSECUTION ON THE MERITS IS CLOSED.

THE ISSUE FEE MUST BE PAID WITHIN THREE MONTHS FROM THE MAILING DATE OF THIS NOTICE OR THIS APPLICATION SHALL BE REGARDED AS ABANDONED. THIS STATUTORY PERIOD CANNOT BE EXTENDED.

HOW TO RESPOND TO THIS NOTICE:

I. Review the SMALL ENTITY status shown above.

If the SMALL ENTITY is shown as YES, verify your current SMALL ENTITY status:

- A. If the status is changed, pay twice the amount of the FEE DUE shown above and notify the Patent and Trademark Office of the change in status, or
- B. If the status is the same, pay the FEE DUE shown above.

If the SMALL ENTITY is shown as NO:

- A. Pay FEE DUE shown above, or
- B. File verified statement of Small Entity Status before, or with, payment of 1/2 the FEE DUE shown above.

II. Part B-Issue Fee Transmittal should be completed and returned to the Patent and Trademark Office (PTO) with your ISSUE FEE. Even if the ISSUE FEE has already been paid by charge to deposit account, Part B Issue Fee Transmittal should be completed and returned. If you are charging the ISSUE FEE to your deposit account, section "4b" of Part B-Issue Fee Transmittal should be completed and an extra copy of the form should be submitted.

III. All communications regarding this application must give application number and batch number. Please direct all communications prior to issuance to Box ISSUE FEE unless advised to the contrary.

IMPORTANT REMINDER: Utility patents issuing on applications filed on or after Dec. 12, 1980 may require payment of maintenance fees. It is patentee's responsibility to ensure timely payment of maintenance fees when due.

PATENT AND TRADEMARK OFFICE

Notice of Allowability

Application No.

09/134,801

Applicant(s)

Racz

Examiner

Sharon Kennedy

Group Art Unit

3763



All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance and Issue Fee Due or other appropriate communication will be mailed in due course.

☒ This communication is responsive to Amendments filed 11-26-99 and 2-2-00.

☒ The allowed claim(s) is/are 2-8, 10-12, and 14-19.

☐ The drawings filed on _____ are acceptable.

☐ Acknowledgement is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d).

☐ All ☐ Some* ☐ None of the CERTIFIED copies of the priority documents have been
☐ received.

☐ received in Application No. (Series Code/Serial Number) _____.

☐ received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

*Certified copies not received: _____.

☐ Acknowledgement is made of a claim for domestic priority under 35 U.S.C. § 119(e).

A SHORTENED STATUTORY PERIOD FOR RESPONSE to comply with the requirements noted below is set to EXPIRE **THREE MONTHS** FROM THE "DATE MAILED" of this Office action. Failure to timely comply will result in ABANDONMENT of this application. Extensions of time may be obtained under the provisions of 37 CFR 1.136(a).

☐ Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL APPLICATION, PTO-152, which discloses that the oath or declaration is deficient. A SUBSTITUTE OATH OR DECLARATION IS REQUIRED.

☒ Applicant MUST submit NEW FORMAL DRAWINGS

☐ because the originally filed drawings were declared by applicant to be informal.

☒ including changes required by the Notice of Draftsperson's Patent Drawing Review, PTO-948, attached hereto or to Paper No. 5.

☒ including changes required by the proposed drawing correction filed on Feb 2, 2000, which has been approved by the examiner.

☐ including changes required by the attached Examiner's Amendment/Comment.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the reverse side of the drawings. The drawings should be filed as a separate paper with a transmittal letter addressed to the Official Draftsperson.

☐ Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Any response to this letter should include, in the upper right hand corner, the APPLICATION NUMBER (SERIES CODE/SERIAL NUMBER). If applicant has received a Notice of Allowance and Issue Fee Due, the ISSUE BATCH NUMBER and DATE of the NOTICE OF ALLOWANCE should also be included.

Attachment(s)

☐ Notice of References Cited, PTO-892

☒ Information Disclosure Statement(s), PTO-1449, Paper No(s). 7 ✓

☐ Notice of Draftsperson's Patent Drawing Review, PTO-948

☐ Notice of Informal Patent Application, PTO-152

☐ Interview Summary, PTO-413

☐ Examiner's Amendment/Comment


☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material

☒ Examiner's Statement of Reasons for Allowance

DETAILED ACTION

Allowable Subject Matter

1. Claims 2-8, 10-12, 14-19 are allowed.
2. The following is an examiner's statement of reasons for allowance: None of the prior art discloses or suggests the lock washer having collapsible webs disposed between adjacent ones of tube engagement flanges having a central tip, the flanges defining a tube receptacle. The closest prior art is the patent to Hrysko, U.S. 4,799,845, however, the Hrysko vanes 3, even if interpreted to be the claimed flanges, do not reasonably have central tips as claimed and do not together form a tube receptacle since Hrysko requires outer tubular post 4 and the inner strut structure. It would not be obvious to eliminate these structures from Hrysko since the reference would be destroyed. Also, Hrysko states nothing about whether surface 2 can be a collapsible web. Further, the Hrysko washer cannot perform the claimed functional limitations. In regard to the remaining prior art, while closer in function, none of the other prior art discloses or suggests a web between the flanges.
3. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."
4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Sharon Kennedy whose telephone number is (703) 305-0154.


Sharon Kennedy

February 2, 2000